


PH ARTICHOKE


PH Artichoke - 5741107364

The pendant illuminates any space with a 100% glare-free light due to the 72 leaves, which form 12 precisely positioned rows that hold six leaves each. The fixture ensures the light is distributed inwards as well as outwards, thereby emitting a beautiful and comfortable light. Moreover, the high quality of light is maintained in the energy efficient LED variant that creates the same renowned atmosphere around the pendant.



Poul Henningsen

Poul Henningsen was born in Copenhagen by the famous Danish writer Agnes Henningsen. He never graduated as an architect, but studied at The Technical School at Frederiksberg, Denmark from 1911-14, and then at Technical College in Copenhagen from 1914-17.



Atlantic Haus



Overlooking Aarhus

Product info

Mounting

E27:
 4 m. White textile cord and aluminium wires.
 Canopy included.

 Ø480 LED:
 4 m. White textile cord and aluminium wires.
 LED driver canopy included.
 Maximum distance between external driver box and fixture: 20 m.

 Ø600/720/840 LED:
 4 m. White textile cord and aluminium wires.
 LED driver canopy included, or external driver box.
 Maximum distance between external driver box and fixture: 20 m.

Finish

<p>Brass, Copper, or Stainless Steel, brushed and coated. Black, Dusty Blue, or Dusty Green, powder coated. White, wet painted. Wet painted inner side, white. High lustre chrome plated or polished brass metallised frame.</p></p>

Materials

Leaves: Laser cut brass, copper, or stainless steel.
 Top shade: Spun steel.
 Frame: High Lustre Chrome Plated or Brass Metallised, steel.
 Suspension: Spun aluminium.

Sizes and weights


width x Height x Length (mm) | 480 x 445 x 480 Max 23.9 kg | 840 x 720 x 840 Max 20.3 kg | 600 x 580 x 600 Max 41.2 kg | 720 x 650 x 720 Max 19.3 kg | 600 x 600 x 600 Max 11.1 kg

Class

Ingress protection IP20. Electric shock protection I w. ground.

Light source

1x100W E27



Related products



PH 5-4½ & PH 6½-6



PH 2/1 Stem Fitting



PH Snowball



PH Artichoke Glass



PH Louvre



PH 3/2 Academy



Patera Pendant



VL Ring Crown 3-5-7 Pendant



OE Quasi Light



AJ Royal Pendant



PH Septima



Patera Oval Pendant



PH Artichoke Pale Rose




Enigma Pendant


 PH 1/1 Chandelier Centenary Edition

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product

PH Artichoke Ø480 canopy White
PH Artichoke/PH Louvre/LP Centrum canopy White

Variant number

5741086223
5741480272

Data specifications

Colour	Copper	Length	840
Width	840	Height	720
Built-in Height	-	IP class	20
Class	I	Net Weight	13.1
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	-
Inrush Current	-	Light source	1x100W E27
Kelvin	-	CRI	-
SDCM	-	Lumen	587

PH Artichoke

Watt	22
Light control	-
UGR Transversal / Axial	8.0/8.0
Driver life	-

Efficacy	27
Min. Dim Level (%)	-
L80B50 (hours)	-