BOG Ceramic Ceiling Fitting


MLCMCF019ANTBRS Antique Brass



MATERIAL	Brass | Ceramic
HEIGHT	n/a
WIDTH | DIAMETER	28cm | 11.02"
LENGTH | PROJECTION	10cm | 3.94''
WEIGHT	1.3KG | 2.87lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS032
CABLE | CHAIN | BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.



EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

BOG Ceramic Ceiling Fitting


MLCMCF019ANTSLV Antique Silver



MATERIAL	Brass | Ceramic
HEIGHT	n/a
WIDTH | DIAMETER	28cm | 11.02"
LENGTH | PROJECTION	10cm | 3.94"
WEIGHT	1.3KG | 2.87lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS032
CABLE | CHAIN | BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.





EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

BOG Ceramic Ceiling Fitting


MLCMCF019PCMBK Matt Black



MATERIAL	Brass | Ceramic
HEIGHT	n/a
WIDTH | DIAMETER	28cm | 11.02"
LENGTH | PROJECTION	10cm | 3.94''
WEIGHT	1.3KG | 2.87lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS032
CABLE | CHAIN | BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.





EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

BOG Ceramic Ceiling Fitting


MLCMCF019POLBRS Polished Brass



MATERIAL	Brass | Ceramic
HEIGHT	n/a
WIDTH | DIAMETER	28cm | 11.02"
LENGTH | PROJECTION	10cm | 3.94''
WEIGHT	1.3KG | 2.87lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS032
CABLE | CHAIN | BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.





EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.


BOG Ceramic Ceiling Fitting MLCMCF019POLCOP Polished Copper



MATERIAL	Brass | Ceramic
HEIGHT	n/a
WIDTH | DIAMETER	28cm | 11.02"
LENGTH | PROJECTION	10cm | 3.94''
WEIGHT	1.3KG | 2.87lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS032
CABLE | CHAIN | BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.





EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

BOG Ceramic Ceiling Fitting


MLCMCF019SATBRS Satin Brass



MATERIAL	Brass | Ceramic
HEIGHT	n/a
WIDTH | DIAMETER	28cm | 11.02"
LENGTH | PROJECTION	10cm | 3.94''
WEIGHT	1.3KG | 2.87lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	MLCS032
CABLE | CHAIN | BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB17

* Fixing bracket may differ for UL wired products.





EST. 2009 mullan TAILOR-MADE

www.mullanlighting.com

Product Notes:
1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.